

ABSTRACT

In a process to make an emitter (10) for light sources, which can be led to incandescence through the passage
5 of electric current, a layer made of anodized porous alumina (1) is used as sacrificial element for the structuring of at least a part of the emitter (10).
(Figure 8)

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
16 September 2004 (16.09.2004)

PCT

(10) International Publication Number
WO 2004/079774 A1

(51) International Patent Classification⁷: H01K 3/02,
1/02, 1/08

(21) International Application Number:
PCT/IB2003/006338

(22) International Filing Date:
23 December 2003 (23.12.2003)

(25) Filing Language: Italian

(26) Publication Language: English

(30) Priority Data:
TO2003A000167 6 March 2003 (06.03.2003) IT

(71) Applicant (for all designated States except US): C.R.F.
SOCIETÀ CONSORTILE PER AZIONI [IT/IT]; Strada
Torino, 50, I-10043 Orbassano (IT).

(72) Inventors; and

(75) Inventors/Applicants (for US only): LAMBERTINI,
Vito [IT/IT]; Via Monsignor Re 10, I-10049 Giaveno
(IT). PULLINI, Daniele [IT/IT]; c/o C.R.F. Società Con-
sortile per Azioni, Strada Torino 50, I-10043 Orbassano

(IT). LI PIRA, Nello [IT/IT]; Via Federico Sacco 8/A,
I-12045 Fossano (IT). BRIGNONE, Mauro [IT/IT]; c/o
C.R.F. società Consortile per Azioni, Strada Torino 50,
I-10043 Orbassano (IT). REPETTO, Piermario [IT/IT];
c/o C.R.F. Società Consortile per Azioni, Strada Torino,
50, I-10043 Orbassano (IT). PADERI, Marzia [IT/IT];
Via Somalia 50, I-10127 Torino (IT). MONFERINO,
Rossella [IT/IT]; Corso Galileo Ferraris, 98, I-10129
Torino (IT).


(74) Agent: GALLAROTTI, Franco; c/o Buzzi, Notaro &
Antonielli d'Oulx S.r.l., Via Maria Vittoria 18, I-10123
Torino (IT).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR,
CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR,
KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN,
MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU,
SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA,
UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (BW, GH,
GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),

[Continued on next page]

(54) Title: PROCESS TO MAKE NANO-STRUCTURATED EMITTERS FOR INCANDESCENCE LIGHT SOURCES



(57) Abstract: In a process to make an emitter (10) for light sources, which can be led to incandescence through the passage of electric current, a layer made of anodized porous alumina (1) is used as sacrificial element for the structuring of at least a part of the emitter (10).

WO 2004/079774 A1

WO 2004/079774 A1



Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE,
SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA,
GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— with international search report